



Product Information:

Vetro Power Textile Protect Nanocoating



Vetro Power Textile Protect Nanocoating is a user-friendly, water based, ready-to-use formulation for coating home textiles.

The consumption depends on the application method and varies between 100-200 ml/m².

Fields of application:

Upholstery, curtains, table cloths, carpets, foot mats, mattresses, covers, pillows, garden furniture, etc.



Application:

Vetro Power Textile Protect is ready-to-use and must not be diluted. In order to achieve a long-lasting effect, the textiles need to be cleaned first. All residues of cleaning agents must be removed using clear water. Vetro Power Textile Protect is to be sprayed at a distance of 15 cm onto the textiles.

An optimal protection is achieved by spraying 2-3 times wet-on-wet on the textile surface. In case of ponding, please spread the excess liquid with a clean cloth. For all surfaces, we recommend to process an examination for stability and functionality on an inconspicuous area. The application should not be processed in blazing sunlight and rain.

Storage temperature:

+4 °C to +30 °C

Shelf life:

The shelf life for an unopened original container is at least 2 years. Once opened, the product should be used within 6 months.

Hardening time:

As soon as the solvent (carrier liquid water) is evaporated, the protected fabric can be stored, transported, entered and processed.

The complete hardening is obtained at a 24-hour drying period at ambient temperature (20 °C/ rH65%), but the hardening process can be accelerated by additional warmth.

Cleaning and care instruction:

Treat stains immediately. Absorb stain with an absorbing cloth. Attention: Do never rub! Stain removal should be conducted inwardly in order to avoid spreading the stain. In the case of dried-up contaminations, remove the coarse parts (e.g. brush off) and then absorb the stain with a damp cloth or sponge (see above). Repeat the process until the stain is removed. In case of persistent contamination, we recommend to use a mild surfactant cleaner with pH from 5 to 7 and to remove the stain as described above. Residues of the surfactant are to be removed from the textile using clear water. Kindly observe the care instructions of the textile manufacturer. The durability of the surface protection strongly depends on the kind and the frequency of cleaning and care.

Important Notice:

Due to the raw material used, different visual colour changes can happen. This can appear occasionally batch-related and does not constitute a reason for complaint of the respective product.

Changes in colour in comparison to the original colour scheme can be caused by different surface structures, gloss levels, applications and influences of light. The absorbency of the surface, drying behaviour and weather influences during the application can also lead to slight colour changes on the surface. This does not constitute a reason for complaint.

Attention:

Only cleaning agents that are suitable for the surface are to be used.

Warning advice: We recommend wearing suitable protective clothing. In case of contact with skin, immediately rinse off with water. Do not swallow. Avoid contact with eyes. In case of contact with the eye or mucosa, immediately rinse off with water. In the event of symptoms occurring, seek medical treatment. Keep out of reach of children!

General advice: Do not inhale atomised spray and the liquid product. Zyax Chem LLP is not liable for damages to the product, as a result of dirt entering the bottles and canisters, e.g. after opening the containers. Zyax Chem LLP is also not liable for improper application of the product if the surfaces have been recoated for any reasons, without Zyax Chem LLP's prior written agreement, nor for any damage to or deterioration of the coating system arising from causes beyond the control of Zyax Chem LLP, including but not limited to impact, abrasion, mechanical damage, neglect, malicious damage, fire damage, pollution and abnormal weather conditions, neither for failure associated with exposure of the coatings to abrasive, chemical substances, abrasive scouring, hydrofluoric acid and highly alkaline chemicals such as bleach, potassium hydroxide and sodium hydroxide and/or if the coated surfaces have not been maintained in accordance with the supplier's recommended maintenance procedures. All information is based on today's state-of-the-art technology. As to the above-mentioned information, we do not lay a claim to completeness, these are only to be understood as possible examples for application areas. Due to a large number of surfaces and object conditions, the buyer/user is not relieved of the duty to professionally verify, in his own responsibility, that our materials are suitable for the intended purpose according to the respective object conditions. In all other respects, our general conditions of sale apply. If the new product information is issued the validity of the old version expires.



VETRO POWER INDIA

Zyax Chem LLP

3rd Floor, Kamer Building, 38 Cawasji Patel, Fort, Mumbai - 400001, India.

☎ +91-887-900-9911 | ✉ customercare@vetropower.com | 🌐 www.vetropoweramc.com