

# Vetro Power NANO-EVERO Dry Plate Protection

## MATERIAL SAFETY DATA SHEET (MSDS)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product Identifier

Product name : Vetro Power NANO-EVERO Dry Plate Protection  
Product code : -

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Identified uses: High-voltage, sensitive circuits.

#### 1.3. Details of the supplier of the safety data sheet

##### ZYAX CHEM PVT LTD

3rd Floor, Kamer Building,  
38 Cawasji Patel Street, Fort,  
Mumbai - 400001, India.  
Contact No: +91 8779240420  
info@zyax.in - www.zyax.in

#### 1.4. Emergency telephone number

Emergency number : +91 22 2757 3899

### SECTION 2. COMPOSITION / DATA ON COMPONENTS:

#### 2.1. Chemical characterization

Preparation made of highly refined mineral oil, anticorrosive additives, antioxidants and dearomatized paraffinic and naphthenic hydrocarbons.



GHS07 ATTENTION  
GHS02 FLAMMABLE

#### 2.2. Components

| CAS-Number | Hazard components    | Symbols | Concentration in % | Risk phrases        |
|------------|----------------------|---------|--------------------|---------------------|
| 64742-47-8 | Naphtha (petroleum), |         | < 5-50             | H225,H315,H335,H336 |

### SECTION 3. HAZARDS IDENTIFICATION:

#### 3.1. Hazard designation

Flammable

Information pertaining to particular dangers for man and environment: The product has to be labelled due to the calculation procedure of the „General Classification guideline for preparations of the EU“ in the latest valid version.

# Vetro Power NANO-EVERO Dry Plate Protection

## 3.2. Classification system

This product is not classified as dangerous, according to Directive 1999/45/EC or 67/548/EEC (see Section 15).

## SECTION 4. FIRST AID MEASURE:

### 4.1. After inhalation

Supply fresh air, consult doctor in case of symptoms.

### 4.2. After skin contact

Wash intensively with water and soap. Use protective skin ointment. If skin irritation continues, consult a doctor.

### 4.3. After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

### 4.4. After swallowing

Instantly call for doctor.

## SECTION 5. FIRE FIGHTING MEASURES:

### 5.1. Suitable extinguishing agents

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol-resistant foam.

### 5.2. For safety reasons unsuitable extinguishing agents

Water

### 5.3. Special hazards caused by the material, its products of combustion or resulting gases

Can form explosive gas-air mixtures. Fire can cause release of: Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

### 5.4. Protective equipment

Wear self-contained breathing apparatus. Wear full protective suit.

### 5.5. Additional Information

Cool endangered containers with water spray.

## SECTION 6. ACCIDENTAL RELEASE MEASURES:

### 6.1. Person-related safety precautions

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Avoid contact with the eyes and skin. Do not breathe fumes/aerosol.

### 6.2. Measures for environmental protection

Do not allow to enter the ground/soil. Do not allow product to reach sewage system or water bodies. Dilute with much water.

### 6.3. Measures for cleaning/collecting

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of contaminated material as waste according to item 13.

# Vetro Power NANO-EVERO Dry Plate Protection

## SECTION 7. HANDLING AND STORAGE:

### 7.1. Handling

#### 7.1.1 Information for safe handling :

Keep away from heat and direct sunlight. Use only in well ventilated areas. Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). Use the material only at places where open light, fire and other ignition sources are kept away.

#### 7.1.2 Information about protection against explosions and fires :

Keep ignition sources away – Do not smoke. Protect against electrostatic charges.

### 7.2. Storage

#### 7.2.1 Requirements to be met by storerooms and containers :

Store in cool location. Observe official regulations on storing packagings with pressurized containers.

#### 7.2.2 Information about storage in one common storage facility : Not required.

#### 7.2.3 Further information about storage conditions : Store in a cool place. Heat will increase pressure and may lead to the container exploding. Store in cool, dry conditions in well sealed containers.

## SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

### 8.1. Additional information about design of technical systems: No further data; see item 7.

Components with limit values that require monitoring at the workplace: no values to be monitored.

| Occupational exposure limit value | Long Time<br>ppm mg/m <sup>3</sup> | Short Time<br>ppm mg/m <sup>3</sup> |
|-----------------------------------|------------------------------------|-------------------------------------|
|-----------------------------------|------------------------------------|-------------------------------------|

Biological occupational exposure limit values not available.

Additional information: The lists that were valid during the compilation were used as basis.

### 8.2. Personal protective equipment



### 8.3. General protective and hygienic measures:

The use and choice of Personal Protection equipment is related to the hazard of the product, the workplace, and the way the product is handled. In general, we recommend as a minimum safety precaution that safety glasses with side-shields and workclothes protecting arms, legs and body be used. In addition, any person visiting an area where this product is handled or processed should at least wear safety glasses with side- shields.

Special advice : Based on and limited to experience of this product as such, the following special advice is believed to provide satisfactory protection for the industrial user or handler.

Respiratory protection :Where concentrations in air may exceed the limits given in this section, it is recommended to use a half face filter mask to protect from overexposure by inhalation. Suitable filter material depends on the amount and type of chemicals being handled in the workplace, but filter material of type "A" or similar may be considered for use.

Protection of hands : When handling this product, it is recommended to wear chemical resistant gloves. The choice of suitable protective gloves depends on work conditions and what chemicals are handled, but we have positive experience with gloves made of Nitrile. Gloves should be replaced immediately if sign of degradation is observed.

Eye protection : See general advice

Body protection : See general recommendation

# Vetro Power NANO-EVERO Dry Plate Protection

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES:

### 9.1. General Information

Form : Liquid  
Colour : Yellowish  
Odour : Characteristic

### 9.2. Change in condition

Freezing point rage : -22°C - -5°C  
Melting point/Melting range : --  
Boiling point/Boiling range : 95°C  
Flashpoint : > 60°C  
Ignition temperature : n.a

### 9.3. Self-inflammability : Product is not selfigniting

### 9.4. Critical values for explosion :

Lower : -Vol %  
Upper : -Vol %

### 9.5. Density at 20 °C : 0,82 g/cm3

### 9.6. Solubility in / Miscibility with Water :Not mixable or difficult to mix and to 100 % in organic solvent

### 9.7. Additional information : --

## SECTION 10. STABILITY AND REACTIVITY:

### 10.1 Hazardous polymerisation : No

### 10.2. Conditions to avoid polymerisation : Not applicable

### 10.3. Materials and conditions to avoid (Incompatibility) : Not applicable

## SECTION 11. TOXICOLOGICAL INFORMATION:

### 11.1. Acute toxicity

LD50 oral : > 2.000 (rat)

LDLOdermal : -

LC50 inhal. : -

Inhalation : Vapour concentrations above recommended exposure levels are irritatin to the eyes and the respiratory tract, may cause headaches and dizziness are anesthetic and may have other central nervous systems effects.

On the skin : Low orodor of toxicity. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

On the eye : Irritating, but does not injure eye tissue.

### 11.2. Ingestion

Small amounts of liquid aspirated into the respiratory system during ingestion or from vomiting may cause bronchopneumonia or pulmonary edema.

# Vetro Power NANO-EVERO Dry Plate Protection

11.3. Additional toxicological information: Additional information is available on special request.

## SECTION 12. ECOLOGICAL INFORMATION:

Ecotoxicological effects:

Remark : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

General notes : Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

## SECTION 13. DISPOSAL CONSIDERATIONS:

### 13.1. Product

Recommendation : Must not be disposed of together with household garbage. Do not allow product to reach the sewage system. Must be specially treated under adherence to official regulations. Dispose of in accordance with local regulations.

Waste disposal key number : The waste disposal key number has to be classified according to the European waste catalogue corresponding to the branch of industry and processing of the product.

### 13.2. Uncleaned Packagings

Recommendation : Packagings have to be emptied completely. Remains of product can cause an explosion. Do not perforate, cut up or weld uncleaned packagings. Bring packagings to a reconditioning. Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

13.3. Additional information : The waste category of this product is 14 06 33 (another solvent and solvent mixtures).

## SECTION 14. TRANSPORT INFORMATION:

### - Land transport ADR/RID/GGVs/GGVE (cross-border/domestic)

ADR/RID-GGVs/E Class : 3

Classification Code : FC

Hazard Identification Number : 225

UN-Number : 2924

Packaging group : III

Label : 3 (8)

Designation of goods : FLAMMABLE LIQUID

### Maritime transport IMDG/GGVSee

UN-Number : 2924

IMDG/GGVSea-Class : FC

Label : 3

Packaging group : III

EMS-Number : S-C, F-E

Marine pollutant : no

Hazard Identification Number : 225

### Air transport ICAO/IATA

UN-Number : 2924

ICAO/IATA-Class : 3

Label : 3(8)

Packaging group : III

Correct technical name : Naphtha (petroleum)



# Vetro Power NANO-EVERO Dry Plate Protection

## SECTION 15. REGULATORY INFORMATION:

**Hazard Identification Number : 225**

**Designation according to GHS guidelines : The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GHS)**

**Risk phrases :**  
H315 Causes skin irritation  
H335 May cause respiratory irritation  
H336 May cause drowsiness or dizziness.

**Safety phrases :**  
P102 Keep out of the reach of Children  
P210 Keep away from heat, hot surfaces, sparks, open flame and other ignition sources. No smoking.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P314 Get medical advice/attention if you feel unwell (show the label where possible)  
P301+ IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P330+P331

**Other hazards:** Water hazard class 1: low hazard to waters (Self-classification according VwVwS of 17 May 1999, Annex 4)

## SECTION 16. FURTHER INFORMATION:

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Library of Risk phrases listed in this document

H225 Flammable liquid  
H315 Causes skin irritation  
H335 May cause respiratory irritation  
H336 May cause drowsiness or dizziness

## DEPARTMENT ISSUING DATA SPECIFICATION SHEET: LOGISTICS-TECHNOLOGY-SAFETY

The information and recommendations contained herein are, to the best of our knowledge and belief, accurate and reliable as of the date issued. We assume no responsibility for accuracy of information unless the document is the most current available from an official distribution system. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy himself that they are suitable and complete for its particular use. In the event that the buyer repackages this product, the buyer shall take and rely upon its own legal advice to ensure proper health, safety and other necessary information is included on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, republication or retransmission of this document, in whole or in part, is not permitted.

CAS: Chemical Abstract Service NA: Not Applicable  
CFR: Code of Federal Regulations ND: Not Determined  
DOT: Department of Transportation NIOSH: National Institute of Occupational Safety & Health  
DSL: Domestic Substance List NFPA: National Fire Protection Association  
g/L: grams per Liter NTP: National Toxicology Program  
HMIS: Hazardous Materials Identification System OSHA: Occupational Safety and Health Administration  
IARC: International Agency for Research on Cancer PMCC: Pensky-Martens Closed Cup  
IATA: International Air Transport Association PPE: Personal Protection Equipment  
ICAO: International Civil Aviation Organization ppm: Parts per Million  
IMDG: International Maritime Dangerous Goods RoHS: Restriction of Hazardous Substances  
IMO: International Maritime Organization STEL: Short Term Exposure Limit  
lbs./gal: pounds per gallon TCC: Tag Closed Cup  
LC: Lethal Concentration TWA: Time Weighted Average  
LD: Lethal Dose WHMIS: Workplace Hazardous Materials Information System