



VETRO
POWER

Technical Data Sheet (TDS)

VP Graphene-X Nano Coating

Vetro Power Graphene-X Nano Coating is a high-performance nano ceramic coating enhanced with graphene additives

APPLICATION AREA:

Automotive painted surfaces, metal surfaces, chrome finishes, alloy wheels, and industrial coated surfaces.

MATERIALS:

Automotive paint, metal, chrome, alloy wheels, coated surfaces, and non-absorbent substrates.

PHYSICAL CHARACTERISTICS:

Appearance	Clear to pale yellow liquid
Viscosity	12-20 mPa·s (20°C)
Density	approx. 0.84 g/cm ³
Flash Point	approx. 29°C
Composition	Graphene oxide, silicon dioxide, organic solvents

FEATURES:

- Graphene-enhanced nano coating
- Hydrophobic and dirt-repellent
- Enhances surface durability
- Resistance to environmental exposure
- Improves surface gloss and finish

APPLICATION METHOD:

Vetro Power Graphene-X Nano Coating is supplied ready-to-use.

The surface must be clean, dry, and free from dust, grease, and contaminants.

Apply using microfiber applicator, spray, or wipe method.

Apply in thin, uniform layers to ensure proper performance.

Allow proper curing under controlled conditions.

Professional application is recommended.

CONSUMPTION:

Depends on application method and surface condition. Thin layer application recommended.

NOTE

Product is flammable. Keep away from heat, sparks, and open flames.

Ensure adequate ventilation during application.

Product may cause skin irritation and harmful vapour exposure.

Avoid inhalation of vapours and contact with skin and eyes.

Use appropriate PPE (gloves, goggles, respirator if required).

Do not release into the environment.

Test application is recommended before full-scale use.

Warning Advice: We recommend wearing suitable protective clothing. In case of contact with skin, immediately rinse off with water. Do not swallow. Avoid contact with eyes. In case of contact with the eye or mucosa, immediately rinse off with water. In the event of symptoms occurring, seek medical treatment. Keep out of reach of children!

General advice: Do not inhale atomised spray and the liquid product.

Zyax Chem Pvt. Ltd. is not liable for damages to the product, as a result of dirt entering the bottles and canisters, e.g. after opening the containers. Zyax Chem Pvt. Ltd. is also not liable for improper application of the product if the surfaces have been recoated for any reasons, without Zyax Chem Pvt. Ltd.'s prior written agreement, nor for any damage to or deterioration of the coating system arising from causes beyond the control of Zyax Chem Pvt. Ltd., including but not limited to impact, abrasion, mechanical damage, neglect, malicious damage, fire damage, pollution and abnormal weather conditions, neither for failure associated with exposure of the coatings to abrasive, chemical substances, abrasive scouring, hydrofluoric acid and highly alkaline chemicals such as bleach, potassium hydroxide and sodium hydroxide and/or if the coated surfaces have not been maintained in accordance with the supplier's recommended maintenance procedures. All information is based on today's state-of-the-art technology. As to the above-mentioned information, we do not lay a claim to completeness, these are only to be understood as possible examples for application areas. Due to a large number of surfaces and object conditions, the buyer/user is not relieved of the duty to professionally verify, in his own responsibility, that our materials are suitable for the intended purpose according to the respective object conditions. In all other respects, our general conditions of sale apply. If the new product information is issued the validity of the old version expires.

VETRO POWER INDIA

Zyax Chem Pvt. Ltd.

Third Floor, Kamer Building, 38, Cawasji Patel Street, Fort, Mumbai, Maharashtra, 400001, India.

+91-887-900-9911 | customercare@vetropower.com | www.vetropoweramc.com



**VETRO
POWER**

Technical Data Sheet (TDS)

VP Graphene-X Nano Coating

Vetro Power Graphene-X Nano Coating is a high-performance nano ceramic coating enhanced with graphene additives

STORAGE

Store in a cool, dry, well-ventilated place
(5°C - 25°C).

CONTAINERS / PACKAGE SIZE

Available in standard packaging sizes as per requirement.

Warning Advice: We recommend wearing suitable protective clothing. In case of contact with skin, immediately rinse o with water. Do not swallow. Avoid contact with eyes. In case of contact with the eye or mucosa, immediately rinse o with water. In the event of symptoms occurring, seek medical treatment. Keep out of reach of children!

General advice: Do not inhale atomised spray and the liquid product.

Zyax Chem Pvt. Ltd. is not liable for damages to the product, as a result of dirt entering the bottles and canisters, e.g. after opening the containers. Zyax Chem Pvt. Ltd. is also not liable for improper application of the product if the surfaces have been recoated for any reasons, without Zyax Chem Pvt. Ltd.'s prior written agreement, nor for any damage to or deterioration of the coating system arising from causes beyond the control of Zyax Chem Pvt. Ltd., including but not limited to impact, abrasion, mechanical damage, neglect, malicious damage, fire damage, pollution and abnormal weather conditions, neither for failure associated with exposure of the coatings to abrasive, chemical substances, abrasive scouring, hydrofluoric acid and highly alkaline chemicals such as bleach, potassium hydroxide and sodium hydroxide and/or if the coated surfaces have not been maintained in accordance with the supplier's recommended maintenance procedures. All information is based on today's state-of-the-art technology. As to the above-mentioned information, we do not lay a claim to completeness, these are only to be understood as possible examples for application areas. Due to a large number of surfaces and object conditions, the buyer/user is not relieved of the duty to professionally verify, in his own responsibility, that our materials are suitable for the intended purpose according to the respective object conditions. In all other respects, our general conditions of sale apply. If the new product information is issued the validity of the old version expires.

VETRO POWER INDIA

Zyax Chem Pvt. Ltd.

Third Floor, Kamer Building, 38, Cawasji Patel Street, Fort, Mumbai, Maharashtra, 400001, India.

☎ +91-887-900-9911 | ✉ customercare@vetropower.com | 🌐 www.vetropoweramc.com