



VETRO
POWER

Technical Data Sheet (TDS)

VP Nano Evero Universal Protection

Vetro Power Nano Evero Universal Protection is a ready-to-use protective formulation

APPLICATION AREA:

Electronics, PCB boards, electrical systems, connectors, metal components, and precision equipment exposed to moisture, humidity, and environmental conditions.

MATERIALS:

PCB boards, electronic components, metal surfaces, connectors, and precision-engineered parts.

PHYSICAL CHARACTERISTICS:

Appearance	Brown liquid
Odour	Characteristic
Density	0.842 g/cm ³
Flash Point	approx. 200°C
Boiling Point	> 220°C
Solubility	Not miscible with water

FEATURES:

- Corrosion protection
- Moisture displacement (dewatering effect)
- Helps prevent short circuits caused by moisture
- Protective film for component safety
- Protects against humidity and condensation
- Forms non-drying flexible protective film
- Suitable for electronic components

APPLICATION METHOD:

Vetro Power Nano Evero Universal Protection is supplied ready-to-use.

The surface must be clean, dry, and free from dust, grease, and contaminants before application.

Application methods include spraying, dipping, painting, or wiping.

Application steps:

1. Cleaning of surface
2. Application of product
3. Allow excess material to drip and wipe off

The coating does not harden or dry completely and leaves a thin oily protective layer on the surface.

CONSUMPTION:

Approx. 10-50 ml/m² depending on application thickness and surface.

NOTE

Product leaves a residual non-drying oily film and does not form a dry coating.

Product is a flammable liquid (Class 3). Keep away from heat, sparks, and open flames.

Warning Advice: We recommend wearing suitable protective clothing. In case of contact with skin, immediately rinse off with water. Do not swallow. Avoid contact with eyes. In case of contact with the eye or mucosa, immediately rinse off with water. In the event of symptoms occurring, seek medical treatment. Keep out of reach of children!

General advice: Do not inhale atomised spray and the liquid product.

Zyax Chem Pvt. Ltd. is not liable for damages to the product, as a result of dirt entering the bottles and canisters, e.g. after opening the containers. Zyax Chem Pvt. Ltd. is also not liable for improper application of the product if the surfaces have been recoated for any reasons, without Zyax Chem Pvt. Ltd.'s prior written agreement, nor for any damage to or deterioration of the coating system arising from causes beyond the control of Zyax Chem Pvt. Ltd., including but not limited to impact, abrasion, mechanical damage, neglect, malicious damage, fire damage, pollution and abnormal weather conditions, neither for failure associated with exposure of the coatings to abrasive, chemical substances, abrasive scouring, hydrofluoric acid and highly alkaline chemicals such as bleach, potassium hydroxide and sodium hydroxide and/or if the coated surfaces have not been maintained in accordance with the supplier's recommended maintenance procedures. All information is based on today's state-of-the-art technology. As to the above-mentioned information, we do not lay a claim to completeness, these are only to be understood as possible examples for application areas. Due to a large number of surfaces and object conditions, the buyer/user is not relieved of the duty to professionally verify, in his own responsibility, that our materials are suitable for the intended purpose according to the respective object conditions. In all other respects, our general conditions of sale apply. If the new product information is issued the validity of the old version expires.

VETRO POWER INDIA

Zyax Chem Pvt. Ltd.

Third Floor, Kamer Building, 38, Cawasji Patel Street, Fort, Mumbai, Maharashtra, 400001, India.

+91-887-900-9911 | customercare@vetropower.com | www.vetropoweramc.com



**VETRO
POWER**

Technical Data Sheet (TDS)

VP Nano Evero Universal Protection

Vetro Power Nano Evero Universal Protection is a ready-to-use protective formulation

Ensure adequate ventilation during application.

Vapours may cause irritation, dizziness, or respiratory effects.

Do not inhale atomised spray or vapours.

Avoid contact with eyes and prolonged skin exposure.

Use appropriate PPE (gloves, goggles).

Avoid release into the environment.

Test application is recommended before full-scale use.

SHELF LIFE

Minimum 12 months under recommended storage conditions.

CONTAINERS / PACKAGE SIZE

Available in standard packaging sizes as per requirement.

Warning Advice: We recommend wearing suitable protective clothing. In case of contact with skin, immediately rinse off with water. Do not swallow. Avoid contact with eyes. In case of contact with the eye or mucosa, immediately rinse off with water. In the event of symptoms occurring, seek medical treatment. Keep out of reach of children!

General advice: Do not inhale atomised spray and the liquid product.

Zyax Chem Pvt. Ltd. is not liable for damages to the product, as a result of dirt entering the bottles and canisters, e.g. after opening the containers. Zyax Chem Pvt. Ltd. is also not liable for improper application of the product if the surfaces have been recoated for any reasons, without Zyax Chem Pvt. Ltd.'s prior written agreement, nor for any damage to or deterioration of the coating system arising from causes beyond the control of Zyax Chem Pvt. Ltd., including but not limited to impact, abrasion, mechanical damage, neglect, malicious damage, fire damage, pollution and abnormal weather conditions, neither for failure associated with exposure of the coatings to abrasive, chemical substances, abrasive scouring, hydrofluoric acid and highly alkaline chemicals such as bleach, potassium hydroxide and sodium hydroxide and/or if the coated surfaces have not been maintained in accordance with the supplier's recommended maintenance procedures. All information is based on today's state-of-the-art technology. As to the above-mentioned information, we do not lay a claim to completeness, these are only to be understood as possible examples for application areas. Due to a large number of surfaces and object conditions, the buyer/user is not relieved of the duty to professionally verify, in his own responsibility, that our materials are suitable for the intended purpose according to the respective object conditions. In all other respects, our general conditions of sale apply. If the new product information is issued the validity of the old version expires.

VETRO POWER INDIA

Zyax Chem Pvt. Ltd.

Third Floor, Kamer Building, 38, Cawasji Patel Street, Fort, Mumbai, Maharashtra, 400001, India.

☎ +91-887-900-9911 | ✉ customercare@vetropower.com | 🌐 www.vetropoweramc.com