



VETRO
POWER

Technical Data Sheet (TDS)

VP Non-Absorbent Surface Protection

VP Non-Absorbent Surface Protection is a ready-to-use fast-drying solvent-based nano coating

APPLICATION AREA:

Marble, granite, agglomerate stone, polished natural stone surfaces, tiles, and other non-absorbent mineral substrates.

MATERIALS:

Marble, granite, engineered stone, ceramic tiles, polished stone surfaces, and mineral-based non-absorbent materials.

PHYSICAL CHARACTERISTICS:

Appearance	Colourless liquid
Odour	Solvent-type
Density	approx. 0.89 g/cm ³
Flash Point	> 27°C
Boiling Point	approx. 190°C
Solubility	Insoluble in water

FEATURES:

- Hydrophobic
- Oleophobic
- Anti-stain protection
- Soil-repellent
- No change in look and feel
- UV-stable
- Fast-drying formulation

APPLICATION METHOD:

VP Non-Absorbent Surface Protection is supplied ready-to-use.

The surface must be clean, dry, and free from dust, grease, and residues of cleaning agents.

The recommended application method is spray application using HVLP spray systems.

Other application methods include microfiber cloth application or soft brush application.

Avoid excess application and ponding on the surface.

For best performance, test on an inconspicuous area before full application.

CONSUMPTION:

Approx. 2-5 ml/m² depending on surface and application method.

NOTE

Product is suitable only for polished, non-absorbent surfaces.

Do not apply on wet or damp substrates.

Product is flammable. Ensure proper ventilation and keep away from heat, sparks, and open flames.

Avoid inhalation of vapours during application.

Due to variations in raw materials, slight visual changes may occur and do not constitute a defect.

Warning Advice: We recommend wearing suitable protective clothing. In case of contact with skin, immediately rinse off with water. Do not swallow. Avoid contact with eyes. In case of contact with the eye or mucosa, immediately rinse off with water. In the event of symptoms occurring, seek medical treatment. Keep out of reach of children!

General advice: Do not inhale atomised spray and the liquid product.

Zyax Chem Pvt. Ltd. is not liable for damages to the product, as a result of dirt entering the bottles and canisters, e.g. after opening the containers. Zyax Chem Pvt. Ltd. is also not liable for improper application of the product if the surfaces have been recoated for any reasons, without Zyax Chem Pvt. Ltd.'s prior written agreement, nor for any damage to or deterioration of the coating system arising from causes beyond the control of Zyax Chem Pvt. Ltd., including but not limited to impact, abrasion, mechanical damage, neglect, malicious damage, fire damage, pollution and abnormal weather conditions, neither for failure associated with exposure of the coatings to abrasive, chemical substances, abrasive scouring, hydrofluoric acid and highly alkaline chemicals such as bleach, potassium hydroxide and sodium hydroxide and/or if the coated surfaces have not been maintained in accordance with the supplier's recommended maintenance procedures. All information is based on today's state-of-the-art technology. As to the above-mentioned information, we do not lay a claim to completeness, these are only to be understood as possible examples for application areas. Due to a large number of surfaces and object conditions, the buyer/user is not relieved of the duty to professionally verify, in his own responsibility, that our materials are suitable for the intended purpose according to the respective object conditions. In all other respects, our general conditions of sale apply. If the new product information is issued the validity of the old version expires.

VETRO POWER INDIA

Zyax Chem Pvt. Ltd.

Third Floor, Kamer Building, 38, Cawasji Patel Street, Fort, Mumbai, Maharashtra, 400001, India.

+91-887-900-9911 | customercare@vetropower.com | www.vetropoweramc.com



**VETRO
POWER**

Technical Data Sheet (TDS)

VP Non-Absorbent Surface Protection

VP Non-Absorbent Surface Protection is a ready-to-use fast-drying solvent-based nano coating

Test application is recommended before full-scale use.

SHELF LIFE

Unopened: up to 2 years

After opening: use within 6 months

CONTAINERS / PACKAGE SIZE

Available in standard packaging sizes as per requirement.

Warning Advice: We recommend wearing suitable protective clothing. In case of contact with skin, immediately rinse o with water. Do not swallow. Avoid contact with eyes. In case of contact with the eye or mucosa, immediately rinse o with water. In the event of symptoms occurring, seek medical treatment. Keep out of reach of children!

General advice: Do not inhale atomised spray and the liquid product.

Zyax Chem Pvt. Ltd. is not liable for damages to the product, as a result of dirt entering the bottles and canisters, e.g. after opening the containers. Zyax Chem Pvt. Ltd. is also not liable for improper application of the product if the surfaces have been recoated for any reasons, without Zyax Chem Pvt. Ltd.'s prior written agreement, nor for any damage to or deterioration of the coating system arising from causes beyond the control of Zyax Chem Pvt. Ltd., including but not limited to impact, abrasion, mechanical damage, neglect, malicious damage, fire damage, pollution and abnormal weather conditions, neither for failure associated with exposure of the coatings to abrasive, chemical substances, abrasive scouring, hydrofluoric acid and highly alkaline chemicals such as bleach, potassium hydroxide and sodium hydroxide and/or if the coated surfaces have not been maintained in accordance with the supplier's recommended maintenance procedures. All information is based on today's state-of-the-art technology. As to the above-mentioned information, we do not lay a claim to completeness, these are only to be understood as possible examples for application areas. Due to a large number of surfaces and object conditions, the buyer/user is not relieved of the duty to professionally verify, in his own responsibility, that our materials are suitable for the intended purpose according to the respective object conditions. In all other respects, our general conditions of sale apply. If the new product information is issued the validity of the old version expires.

VETRO POWER INDIA

Zyax Chem Pvt. Ltd.

Third Floor, Kamer Building, 38, Cawasji Patel Street, Fort, Mumbai, Maharashtra, 400001, India.

☎ +91-887-900-9911 | ✉ customercare@vetropower.com | 🌐 www.vetropoweramc.com